



"SERIES 2000"

BATCH TREATMENT SYSTEMS



"SERIES 2000"

by **IPEC** Global, Inc.

Complete Pre-Packaged Systems For:


- pH Neutralization
- Chrome Reduction
- Heavy Metal Precipitation
- Photo Resist Removal
- Solids - BOD - COD Removal
- Ink and Dye Removal
- Oil and Emulsion Treatment.
- Tumbler and Vibratory Wastewater

STANDARD FEATURES

- 250, 500, 1000 & 2000 GALLON CAPACITIES.
- RECIPE DRIVEN CONTROLS FOR SAFE AND EFFECTIVE TREATMENT OF LIQUID HAZARDOUS WASTES.
- SEMI-AUTOMATIC, INDUSTRIAL QUALITY CONTROL PANELS IN WEATHER TIGHT NEMA 4X ENCLOSURES.
- FULLY AUTOMATED SAFETY COOLING/SHUT DOWN TO PREVENT EXOTHERMIC DAMAGE.
- SUPPLIED WITH RELIABLE AIR OPERATED "LUBE-FREE", DOUBLE DIAPHRAGM TYPE PUMPS WITH POLYPROPYLENE BODIES AND TEFLON DIAPHRAGMS & TRIM.
- HEAVY DUTY WELDED STEEL STAND AND CAT WALK, DESIGNED TO MEET ZONE 4 SEISMIC CALCULATIONS FOR SAFETY & STRENGTH.
- SYSTEMS ARE FULLY INTEGRATED, SKID MOUNTED UNITS, READY TO OPERATE.

IPEC Global, Inc.

**SERIES 2000 BATCH TREATMENT SYSTEM
SPECIFICATIONS**



MODEL NUMBER	TANK CAPACITY	DIMENSIONS	ELECTRICAL	A I R REQUIREMENTS	COOLING WATER REQUIREMENTS
2250	250 GALLONS	77" L x 55" W x 72" H	120 VAC, 60 HZ, 20 AMPS	9 SCFM @ 80-100 PSI	15-20 GPM @ 70°F (INTERMITTENT)
2750	750 GALLONS	102" Lx 65" Wx 86" H	120 VAC, 60 HZ, 20 AMPS	9 SCFM @ 80-100 PSI	15-20 GPM @ 70°F (INTERMITTENT)
21000	1,000 GALLONS	107" Lx 72"Wx 102"H	120 VAC, 60 HZ, 20 AMPS	9 SCFM @ 80-100 PSI	15-20 GPM @ 70°F (INTERMITTENT)
22000	2,000 GALLONS	123" Lx88" Wx116" H	208 VAC, 1 PH. W. Neutral 60 HZ, 15 AMPS	9 SCFM @ 80-100 PSI	15-20 GPM @ 70°F (INTERMITTENT)
NOTE: SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.					

Bulletin Number: 2000-0502

IPEC Global, Inc.

1285 N. Fitzgerald Ave. Unit J
Rialto, CA 92376

PH: (909) 421-9960
FAX: (909) 421-8095

sales@ipecglobal.com
www.ipecglobal.com

Are You Building?

- Wastewater Treatment Systems
- Metal Finishing Lines
- Electro/Plating or Anodizing

Visit our Website and ONLINE Store for
hundreds of products and Ideas

www.ipecglobal.com

